

# Maxpain

Aceclofenac BP 100 mg

**Composition:**

**Maxpain tablet:** Each film coated tablet contains Aceclofenac BP 100 mg.

**Indication and Uses:**

This medication is a Non-steroidal Anti-inflammatory Drugs (NSAIDs), prescribed for fever, pain and arthritis, osteoarthritis and ankylosing spondylitis.

**Dosage and Administration:****Maxpain tablet:**

Adults : The recommended dose is 100 mg, twice daily.

Children : There are no clinical data on the use of Aceclofenac in children.

Elderly : The pharmacokinetics of Aceclofenac is not altered in elderly patients, therefore it is not considered necessary to modify the dose or dose frequency.

**Contraindications:**

Contraindicated in patients with severe ulcer, gastrointestinal bleeding, and hypersensitivity.

**Warning & Precautions:**

Caution should be exercised in patients with history of Crohn's disease, bruising, heart, liver, or kidney disease, gastrointestinal disease, elderly, during pregnancy and breastfeeding. It may cause dizziness or drowsiness, do not drive a car or operate machinery while taking this medication.

**Drug Interactions:**

**Lithium and Digoxin:** Aceclofenac, like many NSAIDs may increase plasma concentrations of lithium and Digoxin.

**Diuretics:** Aceclofenac, like other NSAIDs, may interact the activity of diuretics.

**Anticoagulants:** Like other NSAIDs, Aceclofenac may enhance the activity of anticoagulant. Close monitoring of patients on combined anticoagulants and Aceclofenac therapy should be undertaken.

**Methotrexate :** Caution should be exercised if NSAIDs and Methotrexate are of probenecid increases the area under the mean serum concentration time curve by 50%. Serum levels of Cefuroxime are reduced by dialysis.

**Side Effects:**

Diarrhea, nausea, indigestion, abdominal pain, dizziness and rash.

**Use in Pregnancy and Lactation:**

The use of Aceclofenac should be avoided in pregnancy and lactation unless the potential benefits to the mother outweigh the possible risks to the fetus.

**Storage Conditions:**

Store in a cool and dry place, protected from light and moisture. Keep all medicines out of the reach of children.

**How Supplied:**

**Maxpain tablet:** Each box containing 10x10's tablet's in Alu Alu blister packs.



Manufactured by:

**GUARDIAN  
Healthcare Ltd.**

Amtola, Zirabo, Ashulia  
Dhaka, Bangladesh.